


Damping Composites

Aearo damping composites combine the advantages of lightweight extensional damping foams and sheets with high performance acoustical foams and constraining layers to provide both structureborne and airborne noise control in one convenient package. They can be die-cut and easily applied with PSAs.



| TYPICAL PROPERTIES | NV-7520-100SM | C-2206PSA-50TF |
|--|--|---|
| Foam Layer mm (in.) | 25.4 (1.0) Urethane Foam with Aluminum Polyester | 12.7 (0.5) Urethane Foam |
| Solid Layer mm (in.) | 1.9 (0.075) Urethane Damping Material | 0.76 (0.030) Vinyl Damping Material |
| Weight Nominal kg/m² (lb/ft²) | 4.75 (.97) | 2.25 (.46) |
| Flammability UL 94, solid layer UL 94, foam layer | Listed V-0 Listed HBF | Listed HB |
| FMVSS-302 | Meets | Meets |
| Tensile Strength kPa (psi) Solid layer, ASTM D638 | 8966 (1300) | 9632 (1397) |
| Tear Strength kN/m (lbf/in) Solid layer, ASTM D1004 | 37 (211) | 58 (332) |
| Temperature Range °C (°F) Recommended Service Temperature | -10 to 60 (14 to 140) | -18 to 71 (0 to 160) |
| Recommended Max. Intermittent °C (°F) | 125 (257) | 107 (225) |
| RoHS Directive 2015/863/EU Compliant | Yes | Yes |

The above technical information and data should be considered representative or typical only and should not be used for specification purposes.



Data Sheet

Noise, Vibration, Shock, and Thermal Protection



Technical Information

The data listed in this data sheet are typical or average values based on tests conducted by independent laboratories or by the manufacturer. They are indicative only of the results obtained in such tests and should not be considered as guaranteed maximums or minimums. Materials must be tested under actual service to determine their suitability for a particular purpose.

Warranty, Limited Remedy, and Disclaimer

Unless an additional warranty is specifically stated on the applicable Aearo Technologies product packaging or product literature, Aearo Technologies warrants that each Aearo Technologies product meets the applicable Aearo Technologies product specification at the time Aearo Technologies ships the product. Aearo Technologies MAKES NO OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY OR CONDITION ARISING OUT OF A COURSE OF TEADLING, CUSTOM OR USAGE OF TRADE. If the Aearo Technologies product does not conform to this warranty, then the sole and exclusive remedy is, at Aearo Technologies's option, replacement of the Aearo Technologies product or refund of the purchase price.

Limitation of Liability

Except where prohibited by law, Aearo Technologies will not be liable for any loss or damage arising from the Aearo Technologies product, whether direct, indirect, special, incidental or consequential, regardless of the legal theory asserted, including warranty, contract, negligence or strict liability.

