


TUFCOTE™ Perforated H-xxSM Foam (PSM)

Product Description

TUFCOTE™ H-xxPSM acoustical foam features a perforated aluminized facing on polyurethane foam. The aluminized facing allows the foams to withstand high radiant heat and keeps the temperatures of the foams and substrate significantly lower. The standard H-xxPSM foam with facing meets HF-2 flame rating and also meets the requirements of UL2200 listing for generators.



TYPICAL PROPERTIES	H-100PSM	H-200PSM
Description, Top Surface	Perforated 1.0 mil aluminized polyester	Perforated 1.0 mil aluminized polyester
Nominal Density, kg/m³ (lb/ft³) ASTM D3574	27 (1.7)	27 (1.7)
Flammability UL2200 FMVSS302	Listed Meets	Listed Meets
Tensile Strength - Foam, kPa (psi) ASTM D3574 @23°C (73°F), ambient humidity @70°C (158°F), 100% humidity × 2wks	103 (15) 110 (16)	103 (15) 110 (16)
Elongation - Foam, % ASTM D3574 @ room temperature, ambient humidity	200	200
Random Incidence Absorption Coefficient ASTM C423 @ 125 Hz @ 250 Hz @ 500 Hz @ 1000 Hz @ 2000 Hz @ 4000 Hz NRC	0.12 0.36 0.65 1.06 0.62 0.83 0.67	0.35 0.48 0.94 0.67 0.84 0.75 0.73
Temperature Range, °C (°F)	-40 to 107 (-40 to 225)	-40 to 107 (-40 to 225)
RoHS Compliant	Yes	Yes



Technical Information

The data listed in this data sheet are typical or average values based on tests conducted by independent laboratories or by the manufacturer. They are indicative only of the results obtained in such tests and should not be considered as guaranteed maximums or minimums. Materials must be tested under actual service to determine their suitability for a particular purpose.

Warranty, Limited Remedy, and Disclaimer

Unless an additional warranty is specifically stated on the applicable Aearo Technologies product packaging or product literature, Aearo Technologies warrants that each Aearo Technologies product meets the applicable Aearo Technologies product specification at the time Aearo Technologies ships the product. Aearo Technologies MAKES NO OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY OR CONDITION ARISING OUT OF A COURSE OF DEALING, CUSTOM OR USAGE OF TRADE. If the Aearo Technologies product does not conform to this warranty, then the sole and exclusive remedy is, at Aearo Technologies's option, replacement of the Aearo Technologies product or refund of the purchase price.

Limitation of Liability

Except where prohibited by law, Aearo Technologies will not be liable for any loss or damage arising from the Aearo Technologies product, whether direct, indirect, special, incidental or consequential, regardless of the legal theory asserted, including warranty, contract, negligence or strict liability.