


# ISOLOSS™ XT Shock Absorbing Elastomer

### **Product Description**


ISOLOSS™ XT is a high damping, wide temperature range molding thermoset elastomer. This electronics material is resistant to creep and compression set and can be metal-bonded during molding.

TYPICAL PROPERTIES	XT-30100
Hardness, ASTM D2240, Type A	
Durometer 23°C, 15 seconds Impact	33
Tensile Strength, psi - ASTM D412	1600
Tear Strength, lbf/in - ASTM D624	110
Compression Set (%) - ASTM D395	
Method B	
22 hours at 22°C (72°F)	9
22 hours at 70°C (158°F)	50
Compression Load Deflection kPa (psi) ASTM D575 at 5.1 mm/min. (0.2 in/min)	
10% kPa (psi)	234 (34)
20% kPa (psi)	524 (76)
30% kPa (psi)	848 (123)
Temperature Range °C (Peak Damping Performance, Temperature Range)	
10 Hz	-52°C to 32°C
100 Hz	-47°C to 59°C
1000 Hz	-33°C to 59°C
ROHS Compliant	Yes
Halogen Free*	Yes

<sup>\*</sup>Per IEC 61249-2-21



### ISOLOSS™ XT-30100 Nomogram





## **Data Sheet**

### Noise, Vibration, Shock, and Thermal Protection



#### **Technical Information**

The data listed in this data sheet are typical or average values based on tests conducted by independent laboratories or by the manufacturer. They are indicative only of the results obtained in such tests and should not be considered as guaranteed maximums or minimums. Materials must be tested under actual service to determine their suitability for a

### Warranty, Limited Remedy, and Disclaimer

Warranty, Limited Remedy, and Discraimer
Unless an additional warranty is specifically stated on the applicable Aearo Technologies product packaging or product literature, Aearo Technologies warrants that each Aearo
Technologies product meets the applicable Aearo Technologies product specification at the time Aearo Technologies ships the product. Aearo Technologies MAKES NO OTHER
WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR
ANY IMPLIED WARRANTY OR CONDITION ARISING OUT OF A COURSE OF DEALING, CUSTOM OR USAGE OF TRADE. If the Aearo Technologies product does not conform to this warranty, then the sole and exclusive remedy is, at Aearo Technologies's option, replacement of the Aearo Technologies product or refund of the purchase price.

#### **Limitation of Liability**

Except where prohibited by law, Aearo Technologies will not be liable for any loss or damage arising from the Aearo Technologies product, whether direct, indirect, special, incidental or consequential, regardless of the legal theory asserted, including warranty, contract, negligence or strict liability.

